

19" 10 Way Rack Mount IEC C13 Surge Protected Socket Strip



PD Devices 19" 10 way rack mount surge protected socket strip is an ideal solution for any 19" rack based equipment. The ruggedized durable powder coated steel construction case ensures a high impact resistance and long working life also fitted with a illuminated switch to show power on.

These units have a 2U high enclosure and are supplied with a 2 metre lead and BS1363 moulded plug.

Meets the requirements of BS EN62305-4:2006 (which replaced BS6651:1999 Annex C in August 2008) complemented by BS EN61643-11/12, where Type I, II and III Surge Protective Devices (SPD's) are used.

- Protection from voltage transients that can occur between L-N, L-E and N-E
- 4.5kA surge withstand capability
- Thermal overload protection
- BS EN61643-11/12 – Type III, Class III
- Tested to ANSI C62.41 1991
- BS6651:1999 Annex C location category B

Characteristics	
Voltage Rating (Nominal)	230V rms
Maximum Current Rating	10A (7A Fuse fitted)
Power Consumption	Negligible
Lead Length	2m
Surge Handling (8/20µs) [Per Element]	13.5kA [4.5kA]
Voltage Protection Level (Up) 8/20µs	900V@3kA 8/20µs
Response Time	<10ns
Type (BS EN61643-11/12)	III
Part Code	1028IEC/GB